


DRIVE

DRIVE bench gives the opportunity of quick and easy adjusting to individual needs without compromising on functionality and space. Each work counter has its own individual mechanism which works independently. DRIVE bench can be equipped with fabric panels to divide a work surface for more privacy. Dividing the work surface does not, in any way, reduce the access to the horizontal cable management underneath the work top.





DRIVE



CTA05 X 2 DESK WITH ELECTRICT HEIGHT ADJUSTMENT SIT-STAND 1800/800/650/1300

ZPS618 SONIC ACOUSTIC PANEL FOR SINGLE DESK 1790/40/650

ZN13 X 4 SONIC VERTICAL ACOUSTIC PANEL 800/40/650 **IKDT13** X 3 PEDESTAL 402/600/586

A2L06 X 4 TAMBOUR STORAGE 1200/432/740 **S94** X 2 VERTICAL CABLE DUCTIN Ø140/750-1200

SAVA CHAIR 660/610/1050-1150

CTA04 X 2 DESK WITH ELECTRICT HEIGHT ADJUSTMENT SIT-STAND 1600/800/650/1300

ZPS616 X 2 SONIC ACOUSTIC PANEL FOR SINGLE DESK 1590/40/650

\$94 X 2 VERTICAL CABLE DUCTIN Ø140/750-1200

KCD80P CARGO PEDESTAL 402/800/1129 IKDT12 PEDESTAL 402/600/586

SAVA CHAIR 660/610/1050-1150







DRIVE is an electric height regulation desks which allows for customized standing and sitting positions and is a great ergonomically solution. The electrical height regulator, located underneath the work surface, simplifies changes in positions depending on one's office needs. Changing position during long working hours increases work effectiveness, productivity and health. To create an intimate climate, DRIVE allows you to add acoustic panels. There are two types of acoustic panels which fit perfectly both horizontally and vertically to the worktop.



YAN_Z











YAN_Z


Side desk storages for both single desks and benches act as a construction element reducing the need for an additional leg thus maximizing the space underneath the desk. Wide variety of storage solutions allows for a tailor-made office interior.





ZBN03 DESK WITH MANAGERIAL SIDE STORAGE 1800/1870/740 **UN16** MFC MODESTY PANEL 1600/18/400








S93

SAVA




YAN is a simple yet multi-functional system which blends well into an office space arrangement. Its' flexibility allows for a quick response to different office work requirements. Sliding desk tops give easy access to cable management. Distinctive panel designs enable to build an office of a particular character.

YAN_Z


YAN has been designed to offer the possibility of combining different components into a multi functional office layout. Tambour or sliding door storages, high or desk level can be used as an end element. Different height and functionality pedestals may act as both dividing or finishing section; individual or team storage.







EXAMPLES OF STORAGE ARRANGEMENTS



YAN_T










YAN_T

YAN managerial storage was designed to optimize and organize the work space. It is a construction element of the desks eliminating the need for additional leg. Thought through storage interior allows to hide a computer box as well as suspension files and personal belongings.



 BRN08
 DESK 1800/800/740

 IKRT13
 PEDESTAL 402/600/586

 ZS01
 MANAGERIAL STORAGE 2000/434/1129

 SAVA
 CHAIR 660/610/1050-1150



EXAMPLES OF STORAGE ARRANGEMENTS








YAN sliding tops give access to horizontal cable management.

Desk's construction offers an extraordinary ergonomic qualities with a large working area and all necessary advises and items within an easy reach. 21

YAN_T



BRN08R X 2 DESK WITH MANUAL HEIGHT ADJUSTMENT 1800/800/640-840

\$180 X 2 METAL CABLE TRAY 1316/244/98 \$94 VERTICAL CABLE DUCTING Ø140/750 A3504 STORAGE 801/432/1129

A3104HZ X 2 STORAGE WITH HPL FRONT 801/432/1129

SAVA X 2 CHAIR 660/610/1050-1150



YAN not only serves your present day basic needs but provides an answer to growing demands of the future office. YAN offers desks with manual height regulation. When the need arises you can comfortably set and regulate the height to your liking and situation.





YAN_M













One of the most important elements in planning your ergonomic office space, is the functionality of your office furniture. YAN system offers a solution for creating workstations using Cargo containers. Cargo fulfills its role not only as a construction element but also as a place to rearrange all of your crucial documents.

This type of arrangement is important in achieving optimal performance.




 BLN06L
 ELEMENT FOR DESK PAIRING 1600/800/740

 S160
 METAL CABLE TRAY 1116/244/98

 S87
 CPU HOLDER 212/460/660


KCD80P CARGO PETESTAL 402/800/1129 SAVA CHAIR 660/610/1050-1150



EXAMPLES OF CARGO STORAGE ARRANGEMENTS



YAN_M



BLN16L ELEMENT FOR DESK PAIRING 1600/1600/740

 KRT73P
 PEDESTAL 402/800/740

 KRT73L
 PEDESTAL 402/800/740

 PL180
 EXTENSION 1600/600/28

ZUS16 SONIC ACOUSTIC PANEL 1590/38/350 SAVA X 2 CHAIR 660/610/1050-1150






The main attribute of the YAN system is the possibility of easy configuring individual desks and benches in a number of ways. Desk tops can be supported by metal legs, which come in four shapes to choose from, or different storage solutions. By enlarging the work area with extending elements, a space for greater interaction can be easily build.

BZB14 DOUBLE DESK TOP 1400/1600/28

BA2P08 X 2 SLIDING DOOR STORAGE 1600/432/740

\$140 X 2 METAL CABLE TRAY 916/244/98

SAVA X 2 CHAIR 660/610/1050-1150





YAN_C










YAN_C

YAN promotes simplicity combined with a great variety and choice. Apart from many different styled panels, legs and storages there are different solutions for cable management.


Combine vertical and horizontal cable organizer options to create a hassle free workspace environment.

Each solution is universal for different YAN styles.





YAN_C




BUN22R DESK WITH MANUAL HEIGHT ADJUSTMENT 1800/800/740

MEDIABOX 4X230V; 2XRJ45; 1XUSB UM16 MFC MODESTY PANEL 1600/18/400 ZS01 SLIDING DOOR STORAGE 2000/432/1129

CAN11 CANOE LAMP 1105/360/360 CHAIR 660/610/1050-1150

and personal and at the same time have the integrating factor with the rest of the office space. YAN has been designed to not only serve multi-station offices, but also for creating professional spaces for managers and directors. Combined with side tables, and partition walls a complete and cozy work environment can be created.



 ST12
 TABLE Ø 1200/730


 ZW818
 X 3 FREE STANDING PANEL

 GAYA
 X 5 CHAIR 660/510/825









 BUN24S
 MEETING TABLE 1300/1400/740

 BUN24L
 MEETING TABLE 1300/1400/740

 M04
 MEDIABOX 4X230V; 2XRJ45; 1XUSB

 BUN24P
 MEETING TABLE 1300/1400/740

 M04
 MEDIABOX 4X230V; 2XRJ45; 1XUSB

 IA3P06
 X 2 SLIDING DOOR STORAGE 1200/432/1129

 HPR2
 X 2 HANDLES PRO 160/110/20

 SNL16
 SUNBEAN LAMP Ø1440/410


 GAYA
 X 8 CHAIR 660/510/825



YAN_PANELS

YAN panels present different styles to suit individual needs. Functionality of panels together with the diversity of design and characteristic patterns give you customized work area in a new look.





TWIN PANELS FOR BENCH DESKS



Open workspaces do not have to be boring. Vibrant colors and diverse forms of panels, break up the static nature of the system, promoting creative inventiveness.



TWIN VERTICAL FABRIC PANELS FOR BENCH DESKS


YAN_PANELS







SONIC PANELS h650mm, h800 mm



Simple and elegant partition walls can act both as regular panels, dividing work stations into individual sections or as standard partition walls dividing open space depending on the needs.




SONIC FREE STANDING SCREENS h1250mm, h1850 mm

YAN_PANELS









 BRN08
 X 3 DESK 1800/800/740


 ZUS50
 X 4 SONIC ACOUSTIC SIDE PANEL FOR SINGLE DESK 800/40/800

 ZPS818
 X 3 SONIC ACOUSTIC PANEL FOR SINGLE DESK 1790/40/800

 IKRT13
 X 3 PEDESTAL 402/600/586

 S87
 X 3 CPU HOLDER 212/460/600

 SAVA
 X 3 CHAIR 660/610/1050-1150



 ZBN16
 BENCH DESK 1600/1600/740

 ZBN16L
 ELEMENT FOR DESK PAIRING 1600/1600/740


 ZUS16
 X 2 SONIC ACOUSTIC PANEL 1590/40/350


ZY978 SONIC VERTICAL ACOUSTIC PANEL FOR BENCH DESK 1600/30/350
ZU931 X 2 SONIC ACOUSTIC SIDE PANEL FOR BENCH 1600/40/650

SAVA X 3 CHAIR 660/610/1050-1150

YAN_ELEMENTS

YAN presents a large variety of ways in which a desk top can be supported. These include four different shapes of legs, and several storage options. It allows for creating simple yet functional work areas.





YAN_ELEMENTS

- QUICK AND EASY ASSEMBLY SYSTEM
- SLIDING DESK TOPS: DIRECT AND EASY CABLE MANAGEMENT ASCCESS
- VERSATILE AND SMART
- HEIGHT ADJUSTABLE: MANUAL AND ELECTRIC OPTIONS





CABLE MANAGEMENT



VERTICAL CABLE HITCH S93 CPU HOLDER S83



VERTICAL CABLE DUCTING S94 FOR HEIGHT ADJUSTABLE DESKS



VERTICAL CABLE DUCTING S81 TOP ACCESS M05

M04 - the product has been developed with several solutions to guarantee an easy, in-built arrangement of all wires required for electricity, telephone and data transfer



MEDIABOX M04: 2XRJ45, 1XUSB, 4X230V






HORIZONTAL CABLE TRAY

- DIFFERENT LENGTHS
- UNIVERSAL FOR INDIVIDUAL DESK OR BENCH SOLUTIONS














WHITE PASTEL



GROMMETS AND PRESS BUTTONS
- DIFFERENT COLOURS



BLN02 BLN06 1200-800-740 1600-800-740 BLN04 BLN08 1400-800-740 1800-800-740



BLN02L BLN06L 1200-800-740 1600-800-740 BLN04L BLN08L 1400-800-740 1800-800-740



BLN01 1600-1870-740 **BLN03** 1800-1870-740



BLN05 1600-3740-740 **BLN07** 1800-3740-740



BLN12 BLN16 1200-1600-740 1600-1600-740 BLN14 BLN18 1400-1600-740 1800-1600-740



BLN12L BLN16L 1200-1600-740 1600-1600-740 BLN14L BLN18L 1400-1600-740 1800-1600-740



PL180 1600-600-28



1200-800-740 1600-800-740 ZBN08 ZBN04 1400-800-740 1800-800-740



1200-800-740 1600-800-740 ZBN04L ZBN08L 1400-800-740 1800-800-740



1600-1870-740 ZBN03 1800-1870-740



1600-3740-740 ZBN07 1800-3740-740



1200-1600-740 1600-1600-740 ZBN18 ZBN14 1400-1600-740 1800-1600-740



1200-1600-740 1600-1600-740 ZBN14L ZBN18L 1400-1600-740 1800-1600-740



1600-600-28



BRN02 BRN06 1200-800-740 1600-800-740 BRN08 1400-800-740 1800-800-740



BRN02L BRN06L 1200-800-740 1600-800-740 BRN04L BRN08L 1400-800-740 1800-800-740



BRN01 1600-1870-740 BRN03 1800-1870-740



BRN05 1600-3740-740 BRN07 1800-3740-740



BRN12 BRN16 1200-1600-740 1600-1600-740 BRN14 BRN18 1400-1600-740 1800-1600-740



BRN12L BRN16L 1200-1600-740 1600-1600-740 BRN14L BRN18L 1400-1600-740 1800-1600-740



BRN02R 1200-800-640/840 BRN04R 1400-800-640/840 BRN06R BRN08R 1800-800-640/840



BUN19 BUN21 1200-800-740 1600-800-740 BUN20 BUN22 1400-800-740 1800-800-740



BUN19R BUN21R 1200-800-640/840 1600-800-640/840 BUN20R BUN22R 1400-800-640/840 1800-800-640/840



BUN02L BUN06L 1200-800-740 1600-800-740 BUN04L BUN08L 1400-800-740 1800-800-740




BUN12 BUN16 1200-1600-740 1600-1600-740 BUN18 BUN14 1400-1600-740 1800-1600-740



BUN12L BUN16L 1200-1600-740 1600-1600-740 BUN14L BUN18L 1400-1600-740 1800-1600-740



PL180



BUN03 1600-1870-740 1800-1870-740



BUN05 BUN07 1600-3740-740 1800-3740-740



CTA20 CTA40 1200-1690-650/13001600-1690-650/1300 CTA30 CTA50 1400-1690-650/13001800-1690-650/1300



CTA02 CTA04 1200-800-650/13001600-800-650/1300 CTA03 CTA05 1400-800-650/13001800-800-650/1300



ZD812 ZD816 1196-40-800 1596-40-800 ZD814 ZD818 1396-40-800 1794-40-800



ZN13



IKRT12 402-600-586



IKRT13 402-600-586 402-600-740



IKRT64 402-600-740

DRIVE



IKDT12 402-600-586



IKDT13 402-600-586



IKDT63 402-600-740



IKDT64 402-600-740



KCD80P 402-800-1129



KCD80L 402-800-1129



KCD80SP KCD80SL 402-800-1129 402-800-1129



KRT74LP KRT74L



KRT73P KRT73LP KRT73L



KDT74P KDT74LP KDT74L 402-800-740 402-800



KDT73P KDT73LP KDT73L





KRT74P








BZB02 BZB06 1200-800-83 1600-800-83 BZB04 BZB08 1400-800-83 1800-800-83



BZB12 BZB16 1200-1600-83 1600-1600-83 BZB14 BZB18 1400-1600-83 1800-1600-83



UM10 **UM14** 1000-18-400 1400-18-400 UM12 UM16 1200-18-400 1600-18-400

































IA3506 IA3106 1200-432-1129 1200-432-1129

















610-400-85



160-110-20



160-110-20



S120 S160 716-244-98 S140 S180

916-244-98 1316-244-98

.mdd